KOCOM

Multi Audio Doorphone System

3 + n wire connection



▼ KAL-T308



►KIP-304



KOCOM new

Multi Audio
Doorphone System



KOCOM

Item List

KAL series (Audio Lobbyphone)



KAL-S302 KAL-S303 KAL-S304 KAL-T306 KAL-T308

KEL series (Extension Unit)



KEL-A308 KEL-AT316

KIP-304 (Interphone)





KOCOM


1. Easy Installation

3 Wires in Common

Including
Door Lock Connection

& 1 separate wire

for each apartment




KOCOM

2. Door Opener Connection direct to Lobbyphone

If you connect Door Opener direct to Lobbyphone,

'Door Open' function is available from all the Interphones connected to the Lobbyphone.




Door opener 2 is output in N.O / N.C and is used in connection in compliance with door release specification.

*** According to Door Lock type,**

both 'Normal Open' and 'Normal Close' are available.

KOCOM

3. Security Alarm (optional) Connection Available



If you connect a security sensor (optional) to Audio Lobby Phone, when someone breaks the Lobby Phone open, it makes sounds.

KOCOM



4. Slim Design

28mm Depth

Surface Mount

KOCOM

5. Clear & Loud Voice Messenger by 2-way communication method



2 way
mutual communication



‘door open’ button
Is located under the handset





KOCOM

6. Long Distance Connection

* using CAT5 cable, up to 300m distance

* last (the farthest) unit








KOCOM

7. Easy and Convenient Volume Control



: Audio Lobby Phone -> Doorphone Audio Volume

Using a screwdriver, increase(+) or decrease(-) the volume from Audio Lobby Phone to Doorphone

: Doorphone Audio Volume -> Audio Lobby Phone


Using a screwdriver, increase(+) or decrease(-) the volume from Doorphone to Audio Lobby Phone

KOCOM

8. Easy Connection

Using Wafer Connectors





KAL-series Connection


KOCOM

9. Multi-Application

System configuration



2 buttons **3** buttons **4** buttons **6** buttons **8** buttons **10** buttons **11,12,14,16** **18** buttons



19,20,22,24 **26 buttons** **27,28,30,32** **34** buttons **36,38** **40** buttons **max.**